



**SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch**

No. 1 Workshop, M-10, Middle section, Science & Technology Park,  
Shenzhen, Guangdong, China 518057

Telephone: +86 (0) 755 2601 2053  
Fax: +86 (0) 755 2671 0594  
Email: ee.shenzhen@sgs.com

Report No.: SZEM170500507503  
Page : 1 of 7

## RF Exposure Evaluation Report

**Application No.:** SZEM1705005075CR  
**Applicant:** ZHEN CHENG TOYS FACTORY  
**Address of Applicant:** CHENGHAI DISTRICT, SHANTOU CITY, GUANGDONG PROVINCE, CHINA  
**Product Name:** R/C CAR  
**Model No.:** Please refer to section 2♣  
♣ Please refer to section 3 of this report which indicates which model was actually tested and which were electrically identical.  
**Standards:** EN 62479:2010  
**Date of Receipt:** 2017-05-25  
**Date of Test:** 2017-06-02 to 2017-06-15  
**Date of Issue:** 2017-06-20

|                     |               |
|---------------------|---------------|
| <b>Test Result:</b> | <b>PASS *</b> |
|---------------------|---------------|

\* In the configuration tested, the EUT detailed in this report complied with the standards specified above.

The CE mark as shown below can be used, under the responsibility of the manufacturer, after completion of an EU Declaration of Conformity and compliance with all relevant EU Directives.

Authorized Signature:



Jack Zhang  
EMC Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM170500507503

Page : 2 of 7

| Revision Record |         |            |          |          |
|-----------------|---------|------------|----------|----------|
| Version         | Chapter | Date       | Modifier | Remark   |
| 01              |         | 2017-06-23 |          | Original |
|                 |         |            |          |          |
|                 |         |            |          |          |

|                          |  |   |  |  |
|--------------------------|--|---|--|--|
| Authorized for issue by: |  |   |  |  |
|                          |  |   |  |  |
|                          |  | <hr/> Peter Geng /Project Engineer  |  |  |
|                          |  |  |  |  |
|                          |  | <hr/> Eric Fu/Reviewer  |  |  |



## 2 CONTENTS

|  | Page                         |
|--|------------------------------|
| 1 COVER PAGE.....                                      | 1                            |
| 2 CONTENTS .....                                       | 3                            |
| 3 GENERAL INFORMATION.....                             | 4                            |
| 3.1 CLIENT INFORMATION .....                           | ERROR! BOOKMARK NOT DEFINED. |
| 3.2 GENERAL DESCRIPTION OF EUT .....                   | ERROR! BOOKMARK NOT DEFINED. |
| 3.3 TEST LOCATION .....                                | 5                            |
| 3.4 TEST FACILITY .....                                | 5                            |
| 3.5 DEVIATION FROM STANDARDS .....                     | 5                            |
| 3.6 ABNORMALITIES FROM STANDARD CONDITIONS .....       | 5                            |
| 3.7 OTHER INFORMATION REQUESTED BY THE CUSTOMER.....   | 5                            |
| 4 EQUIPMENT LIST.....                                  | 6                            |
| 5 EN 62479 REQUIREMENT .....                           | 7                            |
| 5.1 GENERAL DESCRIPTION OF APPLIED STANDARDS.....      | 7                            |
| 5.2 HUMAN EXPOSURE TO THE ELECTROMAGNETIC FIELDS ..... | 7                            |
| 5.3 RF EXPOSURE EVALUATION .....                       | 7                            |
| 5.3.1 Limit .....                                      | 7                            |
| 5.3.2 Test Result.....                                 | 7                            |
| 6 EUT PHOTOS.....                                      | 7                            |



### 3 General Information of EUT

|                     |  |
|---------------------|--|
| Product Name:       | R/C CAR  |
| Model No.:          | 333-BBD01  |
| Trade Mark:         | Suunto   |
| Nominal Frequency:  | 27.145MHz  |
| Number of Channels: | 1  |
| Receiver category:  | 2  |
| Antenna Type:       | Integral Antenna   |
| Power Supply:       | Remote: DC 9V by (6F22) battery;<br>Car: DC 7.2V 700mAh rechargeable battery which charged by adapter.<br>adapter information:<br>MODEL: LJ-06A0720250Z<br>INPUT: AC 100-240V, 50/60Hz<br>OUTPUT: DC 7.2V, 0.25A |
| ERP:                | -41.2dBm(0.00008mW)*   |
| *                   | The ERP data refer to the report SZEM170500507502.   |

#### Declaration of EUT Family Grouping:

Model No.: 333-BBD01, 333-BBD02, 333-BBD03, 333-BB01, 333-BB02, 333-BB03, 333-NB01, 333-NB02, 333-NB03, 333-NBS01, 333-NBS02, 333-NBS03, 333-P001, 333-P002, 333-P003, 333-P004, 333-P004, 333-P005, 333-P006, 333-P007, 333-P008, 333-P009, 333-933B, 333-933A, 333-XZ001B, 333-XZ007B, 333-WL007, 333-WL008, 333-WL009, 333-ZL01B, 333-ZL02B, 333-ZL03B, 333-4T11, 333-4T12, 333-4T11A, 333-4T12A, 333-4T21A, 333-4T22A, 333-4T23A, 333-4T21, 333-4T22, 333-4T23, 333-P011, 333-P012, 333-P013, 333-P014, 333-P015, 333-P011A, 333-P012A, 333-P013A, 333-P014A, 333-P015A, 333-P021, 333-P022, 333-P023, 333-P024, 333-P021A, 333-P022A, 333-P023A, 333-P024A, 333-PS021, 333-PS022, 333-PS023, 333-PS024, 333-PS021A, 333-PS022A, 333-PS023A, 333-PS024A, 333-VS01, 333-VS02, 333-VS03, 333-VS04, 333-TK01, 333-TK11, 333-ZJ01, 333-ZJ11, 17XZ01B, 17XZ01A

Only the model 333-BBD01 was tested, since the electrical circuit design, layout, components used, internal wiring and functions were identical for the above models, with only difference on colour, appearance and decorations.



### **3.1 Test Location**

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China  
518057

Telephone: +86 (0) 755 2601 2053 Fax: +86 (0) 755 2671 0594

No tests were sub-contracted.

### **3.2 Test Facility**

The test facility is recognized, certified, or accredited by the following organizations:

- **CNAS (No. CNAS L2929)**

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

- **A2LA (Certificate No. 3816.01)**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

- **VCCI**

The 10m Semi-anechoic chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-823, R-4188, T-1153 and C-2383 respectively.

- **FCC – Registration No.: 556682**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 556682.

- **Industry Canada (IC)**

Two 3m Semi-anechoic chambers and the 10m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1, 4620C-2, 4620C-3.

### **3.3 Deviation from Standards**

None.

### **3.4 Abnormalities from Standard Conditions**

None.

### **3.5 Other Information Requested by the Customer**

None.



## 4 Equipment List

| RF conducted test |                     |                      |           |               |                           |                               |
|-------------------|---------------------|----------------------|-----------|---------------|---------------------------|-------------------------------|
| Item              | Test Equipment      | Manufacturer         | Model No. | Inventory No. | Cal. Date<br>(yyyy-mm-dd) | Cal. Due date<br>(yyyy-mm-dd) |
| 1                 | Temperature Chamber | GuangZhou GongWen    | GDJW-100  | SEM002-02     | 2016-07-18                | 2017-07-18                    |
| 2                 | DC Power Supply     | ZhaoXin              | RXN-305D  | SEM011-02     | 2016-10-09                | 2017-10-09                    |
| 3                 | Spectrum Analyzer   | Rohde & Schwarz      | FSP       | SEM004-06     | 2016-10-09                | 2017-10-09                    |
| 4                 | Barometer           | ChangChun            | DYM3      | SEM002-01     | 2017-04-18                | 2018-04-18                    |
| 5                 | Signal Generator    | Rohde & Schwarz      | SML03     | SEM006-02     | 2017-04-14                | 2018-04-14                    |
| 6                 | Band filter         | Amindeon             | Asi 3314  | SEM023-01     | N/A                       | N/A                           |
| 7                 | Power Meter         | Rohde & Schwarz      | NRVS      | SEM014-02     | 2016-10-09                | 2017-10-09                    |
| 8                 | NOISE GENERATOR     | Beijin Daming Jidian | DM1660    | EMC0047       | 2016-08-21                | 2017-08-21                    |

## **5 EN 62479 REQUIREMENT**

### **5.1 General Description of Applied Standards**

Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)

### **5.2 Human exposure to the Electromagnetic fields**

This International Standard provides simple conformity assessment methods for low-power electronic and electrical equipment to an exposure limit relevant to electromagnetic fields (EMF). If such equipment cannot be shown to comply with the applicable EMF exposure requirements using the methods included in this standard for EMF assessment, then other standards, including IEC 62311 or other (EMF) product standards, may be used for conformity assessment.

### **5.3 RF Exposure Evaluation**

#### **5.3.1 Limit**

According to EN 62479 clause 4.2 Low-power electronic and electrical equipment is deemed to comply with the provisions of this standard if it can be demonstrated using routes B, C or D that the available antenna power and/or the average total radiated power is less than or equal to the applicable low-power exclusion level  $P_{max}$ .

$P_{max} = 20 \text{ mW}$  (13 dBm) according to ICNIRP guidelines, since the EUT is General public used.

**Remark:**

- B: The input power level to electrical or electronic components that are capable of radiating electromagnetic energy in the relevant frequency range is so low that the available antenna power and/or the average total radiated power cannot exceed the low-power exclusion level defined in EN 62479 clause 4.2
- C: The available antenna power and/or the average total radiated power are limited by product standards for transmitters to levels below the low-power exclusion level defined in EN 62479 clause 4.2
- D: Measurements or calculations show that the available antenna power and/or the average total radiated power are below the low-power exclusion level defined in EN 62479 clauses 4.2.

#### **5.3.2 Test Result**

The ERP of the EUT is -41.2dBm(0.00008mW) which is below the max permitted sending level of 20 mW, and then the EUT is not need to conduct SAR measurement.

## **6 EUT Photos**

Refer to Appendix A - Photographs of EUT Constructional Details for SZEM1705005075CR.